



Workshop #2

Contributing to Wikidata



Workshop #1, block #1: Recap

Wikidata is a database:

- Collaborative
- Royalty-free (CC0)
- Multilingual

Item + Property + Value = Declaration (or triple)

Video:

<https://youtu.be/5d-xYZNkOfg>



Workshop #1, block #2: Recap

Interdependent Wikimedia projects:

- **Wikipedia:** articles in several languages
- **Wiki Commons:** images and other content
- **Wikidata:** data

These projects feed information boxes (InfoBoxes) on Wikipedia and Google's results pages.

Video:

<https://youtu.be/tw91itUVRDM>



Workshop #1, block #3: Recap

A Wikidata item (or entity) is composed of several parts :

- Header with title, description and alias
- Interwiki links
- Statements
- External identifiers: External identifiers are a type of declaration.
 - External identifiers allow a Wikidata item to be linked to other databases where the same item is present.

Video:

<https://youtu.be/yWwXrA8SrAQ>



Workshop #2 Program

Block 1: Creating and Editing an Item

- Languages in Wikidata
- Creating an item
- Editing an item (label, description, alias)

Block 2: Editing a Statement

- Editing simple & multiple statements, references & qualifiers

Block 3: Editing a Statement (ADVANCED)

- Advanced editing concepts: properties, constraints, special pages, Fusion

Block 4: Self-learning in Wikidata

- Wikidata help and reference material: discussion pages, bistro, Wikidata projects, tutorials

Workshop Recap



Block 1

Creating and editing an item in Wikidata

Wikidata Language — User-based

The language setting is set by the user in the Preferences menu.

The screenshot shows the Wikidata interface. At the top right, the user's language is set to English, and the user's name is Antoine2711. Below this, there is a search bar for languages. The 'Suggested languages' section lists several languages with their corresponding Wikidata labels and native scripts. The 'English' option is highlighted.

Language	Wikidata Label	Native Script
русский	innu-aimun	ᐃᓂᓂᓂ
atikamekw	italiano	ᐃᓂᓂᓂ
Canadian English	Plautdietsch	ᐃᓂᓂᓂ
Cymraeg	polски	
Deutsch		
English		



Wikidata Languages — Babel

The Babel extension lets you indicate your level of proficiency in multiple languages.

```
{{#babel:fr-N|en-4|es-1|ru-0|de-0|loves  
Wikidata}}
```

```
<!------- USERBOXES ----->  
<table width="200px" align="right"><tr><td>  
  
{{Userboxtop|}}  
  
{{#babel:fr-N|en-4|es-1|ru-0|de-0|loves Wikidata}}  
  
{{userbox  
| border-c = {{border-c|silver}}}
```



WIKIDATA

- Main page
- Community portal
- Project chat
- Create a new item
- Create a new Lexeme
- Recent changes
- Random item
- Query Service
- Neatly
- Random Primary Sources item
- Help
- Donate
- Tools

User page Discussion Read 00:56:12 Page User More Search Wikidata

User:Antoine2711

This user has made a total of 7090 edits.

Antoine Beaubien

Wikidatian in Québec, Canada



About me

Never lost hope of a better society.
Involved in Boy Scout since 8 y.o., I did a lot of volunteering in my local group, the 55e Guynemer.
Helping the world, on person at the time.
Yes, we can be better and so the world.
Old IT Manager for the chapter Wikimedia Canada

My work

Computer explorer since 8 y.o., my father, at that time, bought a COLOR Computer, also know as COCO...
It was a great tool to learn BASIC and ASCII.
Starting to work on Macintosh at the age of 14 y.o. for a book making company, I never stopped to work since then.

Contact me

antoine@beaubien.qc.ca
My talk page on French Wikipedia

User language	
fr-N	Cet utilisateur a pour langue maternelle le français.
en-4	This user has near native speaker knowledge of English.

Creating an item

In the left-hand menu, you can choose "Create a new item".

[Main page](#)
[Community portal](#)
[Project chat](#)
[Create a new Item](#)
[Create a new Lexeme](#)
[Recent changes](#)



[Main page](#)
[Community portal](#)
[Project chat](#)
[Create a new Item](#)
[Create a new Lexeme](#)
[Recent changes](#)
[Random Item](#)
[Query Service](#)
[Nearby](#)
[Random Primary Sources item](#)
[Help](#)
[Donate](#)

[Tools](#)
[Special pages](#)
[Printable version](#)
[Check sitelink](#)
[JS Wiki Browser](#)

[Browse Primary Sources](#)
[▲ back to top ▲](#)

Special page 04:57:53 00:57:53

Create a new Item

Please make sure that the item you want to create complies with our [notability policy](#) and that it **doesn't already exist**.
If you want to create an item about a [living person](#), be mindful of their privacy.
We appreciate it if you create a [label](#) and a [description](#) for all of your new items.
The first letter of your label should only be capitalized if it is a [proper noun](#) (Q147276), and your description should *not* be phrased as a sentence.
To create a new lexeme, please use [Special:NewLexeme](#).

By clicking "Create", you agree to the [terms of use](#), and you irrevocably agree to release your contribution under the [Creative Commons CC0 License](#).

Create a new Item

Language:

Label:

Description:

Aliases, pipe-separated:



Editing an Item — Label

Label = name that the entity is commonly called in the given language

Aliases are linked to labels. Aliases serve as secondary labels, although less used

Toronto Centre for the Arts (Q14875453)...

performing arts centre in North York, Ontario

Ford Centre for the Performing Arts

► [Recoin: Most relevant properties which are absent](#)

▼ [In more languages](#)

Language	Label	Description	Also known as
English	Toronto Centre for the Arts	performing arts centre in North York, Ontario	Ford Centre for the Perform...
German	No label defined	Bauwerk in Kanada	
Spanish	No label defined	No description defined	
French	No label defined	No description defined	
Russian	Центр искусств Торонто	No description defined	

[All entered languages](#)



Editing an Item — Description

A description IS NOT A SENTENCE. Therefore,

- No uppercase letters
- No period within or at the end of the text
- Should be relatively short.
- It must not contain any opinion or promotion, it is a neutral text;
- The description must be as constant as possible, so do not put any temporary occupation or other information of a changing nature;

Model description for a person: occupation + nationality (year of birth-death)

Model description for an organization : [type of organization] based in [city, province, country].



Editing an Item — Description

Missing French
description

Toronto Centre for the Arts ^{anglais} (Q14875453) <https://www.wikidata.org/wiki/Q14875453>

Approve label from other languages:

Toronto Centre for the Arts (1x) Центр искусств Торонто (1x) Տորոնտոյի գեղարվեստի կենտրոն (1x)

performing arts centre in North York, Ontario ^{anglais}



► [Recoïn: Propriétés manquantes les plus pertinentes](#)

▼ Plus de langues

Langue	Libellé	Description	Également connu comme
français	Pas de libellé défini	Aucune description fournie	
allemand	Pas de libellé défini	Bauwerk in Kanada	
anglais	Toronto Centre for the Arts	performing arts centre in North York, Ontario	Ford Centre for the Performing...
espagnol	Pas de libellé défini	Aucune description fournie	
russe	Центр искусств Торонто	Aucune description fournie	

Toutes les langues saisies



Editing an Item — Alias

Alias = secondary label

⇒ Can be an unaccented form of the label, shortened names, with the initial article at the end, etc.

⇒ The artist's name can be found either in the label, with the real name in the aliases, or the opposite.

<https://www.wikidata.org/wiki/Q48070154>

Also known as

Ford Centre for the Performing...



Block #1 exercice

A Wikidata item creation in this workshop



Item creation: Maiko Yamamoto

- Label (Len)
- Description (Den)
- Alias (Aen)
- instance of (P31)



End of block #1

Creating and editing an item in Wikidata



Block #2

Editing a Wikidata statement



Editing a Simple Statement

Editing the first name (P735) & last name (P734) of an item representing a person.

Note that the values for these properties are also items...

<https://www.wikidata.org/wiki/Q483203>

prénom	Q483203 Gordon ... ✎ modifier	
	▼ 0 référence	+ ajouter une référence
	Q483203 Matthew ... ✎ modifier	
	▼ 0 référence	+ ajouter une référence
	Q483203 Thomas ... ✎ modifier	
	▼ 0 référence	+ ajouter une référence
		+ ajouter une valeur

nom de famille	Q483203 Sumner ... ✎ modifier	
	▼ 0 référence	+ ajouter une référence
		+ ajouter une valeur



Editing a Simple Statement (cont.)

In addition to the information in the header of an item (label, description & alias), the most important piece of information (the statement) about an item is its nature or if it's a subclass. This concept is very important. In our case, we are mostly working with instances of items, and therefore not of subclasses. Nevertheless, it's important to understand this concept.

Note that we will come back to subclasses in the SparQL Research Workshop (workshop 3)



Editing a Multiple Statement

Multiple triples can be linked to the same property of an item.

Multiple values

The screenshot shows the Wikidata editing interface for a property. On the left, the property is labeled "given name". The main area displays two statements:

- Beverly ...** with an **edit** button and **1 reference**.
- Buffy ...** with an **edit** button and **1 reference**.

At the bottom right, there is a **+ add value** button. Two red arrows originate from the "Multiple values" text box: one points to the "Beverly ..." statement and the other points to the "Buffy ..." statement, illustrating that multiple different values can be associated with the same property.



Editing a Statement — References

References are sources in Wikidata, at the statement level.

Three most used sources:

- Based on a Wiki project (P4656)
- Reference URL (P854)
- Stated in (P248)

There is also the qualifier: lookup date (P813). References are also used to validate the integrity of information, and as such, some tools only use statements with references .

Editing a Statement — References (cont.)

Statements

instance of	human ...	edit
	▼ 2 references	
		copy
imported from Wikimedia project	Russian Wikipedia	
		copy
stated in	BnF authorities	
retrieved	10 October 2015	
reference URL	http://data.bnf.fr/ark:/12148/c b13932908g	
		+ add reference
		+ add value



Editing a Statement — Qualifiers

Qualifiers are used to clarify statements. There are several ways to clarify a statement.

- Time-based qualifier
- Qualifier to clarify a statement
 - Role of a member of the cast
 - Position of a team member

The screenshot shows a Wikidata statement editor for the property 'spouse'. The subject is 'Jack Nitzsche'. The statement has two time-based qualifiers: 'end time' set to '25 August 2000' and 'start time' set to '19 March 1982'. There are '0 references' listed. The interface includes an 'edit' button, a '+ add reference' button, and a '+ add value' button.

<https://www.wikidata.org/wiki/Q467027>



Exercise block #2

Editing a Wikidata item during training



Editing the item “Maiko Yamamoto”

- image (P18)
- occupation (P106)
- country of nationality (P27)
- field of activity (P101)
- gender (P21)
- first name (P735)
- last name (P734)
- date of birth (P569)
- student of (1066)
- notable works (P800)
- languages spoken, written or signed (P1412)
- schooling (P69)
- employer (P108)
- VIAF identifier (P214)



End of block #2

Editing a Wikidata statement



Block 3

Advanced editing concepts for items



Properties

A property is also editable. The creation of a property is not frequent.

Consulting the page of a property helps you understand it better.

<https://www.wikidata.org/wiki/Property:P101>

The screenshot shows the Wikidata page for the property **field of work** (P101). The page is in English and includes a navigation bar with 'Property', 'Discussion', 'Read', 'Labels list', and 'View history'. The main content area is titled 'field of work (P101)' and contains a description: 'specialization of a person or organization; see P106 for the occupation'. Below this is a table with columns for 'Language', 'Label', 'Description', and 'Also known as'. The table lists the property in English, German, Spanish, French, and Russian. The English entry shows the label 'field of work' and a description: 'specialization of a person or organization; see P106 for the occupation'. The German entry shows the label 'Arbeitsgebiet' and a description: 'Themankreis, auf dem eine Person oder Institution ihre Haupttätigkeit (Property P106) entfaltet'. The Spanish entry shows the label 'campo de trabajo' and a description: 'especialización de una persona u organización (por ejemplo, radioactividad). Para la ocupación/trabajo ver la propiedad P106 (por ejemplo físico)'. The French entry shows the label 'domaine d'activité' and a description: 'spécialité d'une personne ou d'une organisation (ex. physique des particules, histoire médiévale), PAS la profession (physicien, historien: P106)'. The Russian entry shows the label 'область деятельности' and a description: 'у организации или persons: основное поле деятельности, связанное с профессией (например, физика для физического явления, астрономия для persons); на путях с профессией (физик) — свойством P106'. Below the table, there are sections for 'Data type' (Item) and 'Statements' (instance of: Wikidata property for items about people or organisations).

Language	Label	Description	Also known as
English	field of work	specialization of a person or organization; see P106 for the occupation	field of study fields discipline subject area specialism domain academic discipline scientific discipline academic subject academic area scientific area FOW studies responsible for conduct research about be researcher in research on specialty activity
German	Arbeitsgebiet	Themankreis, auf dem eine Person oder Institution ihre Haupttätigkeit (Property P106) entfaltet	Beruflicher Schwerpunkt Tätigkeitsbereich Arbeitsbereich Beteiligungsfeld
Spanish	campo de trabajo	especialización de una persona u organización (por ejemplo, radioactividad). Para la ocupación/trabajo ver la propiedad P106 (por ejemplo físico)	campo de estudio área de trabajo área de estudio disciplina científica ámbito científico especialidad académica
French	domaine d'activité	spécialité d'une personne ou d'une organisation (ex. physique des particules, histoire médiévale), PAS la profession (physicien, historien: P106)	domaine d'application domaine discipline spécialisation domaine de recherche chercheur en
Russian	область деятельности	у организации или persons: основное поле деятельности, связанное с профессией (например, физика для физического явления, астрономия для persons); на путях с профессией (физик) — свойством P106	сфера работы направление деятельности поле деятельности нишула сфера соответствует деятельности



Property Constraints

A statement can have several types of constraints. Constraints are attached to properties.

<https://www.wikidata.org/wiki/Property:P3383#P2302>

Constraints

The screenshot shows the Wikidata interface for the property constraint P2302. The main area displays a list of classes that can be used as constraints: human, organization, group of humans, animal, position, fictional character, person, periodical, fictional organization, project, industry, museum, award, convention, service, collective, group of mythical characters, art, and instance or subclass of. The interface also includes an 'edit' button, a 'relation' section, and a '+ 0 references' indicator. At the bottom right, there are '+ add reference' and '+ add value' buttons.



Property Constraints (cont.)

A small icon appears to the right of the value if a constraint is not honored. Clicking on it displays details of the problem.

<https://www.wikidata.org/wiki/Q14875453#P856>

The screenshot shows a Wikidata property statement for 'official website' with the value 'http://www.tocentre.com/'. A small icon (a triangle with a 'P' inside) is positioned to the right of the URL. A tooltip window titled 'Suggestions' is open, displaying the message: 'required qualifier constraint' and 'This official website statement is missing a qualifier language of work or name.' The tooltip also includes 'Help Discuss' and a close button. To the right of the statement, there are buttons for 'edit', '+ add value', and '+ add statement'.

Special Pages

Special pages contain additional tools.

Special pages are grouped in sections.

<https://www.wikidata.org/wiki/Special:SpecialPages>



- Main page
- Community portal
- Project chat
- Create a new Item
- Create a new Lexeme
- Recent changes
- Random Item
- Query Service
- Nearby
- Random Primary Sources Item
- Help
- Donate
- Tools
- Special pages
- Printable version
- Check sitelink
- JS Wiki Browser
- Browse Primary Sources
- ▲ back to top ▲

English Antoine2711 Talk Sandbox Preferences Beta Watchlist Contributions Deletion requests Log out 06:13:05 02:13:05

Special page Search Wikidata

Special pages

Help

Maintenance reports

- Broken redirects
- Dead-end pages
- Double redirects
- Lint errors
- Long pages
- Oldest pages
- Orphaned pages
- Pages not connected to items
- Pages with the fewest revisions
- Pages without language links
- Protected pages
- Protected titles
- Short pages
- Uncategorized categories
- Uncategorized files
- Uncategorized pages
- Uncategorized templates
- Unused categories
- Unused files
- Unused templates
- Wanted categories
- Wanted files
- Wanted pages
- Wanted templates

Lists of pages

- All pages
- All pages with prefix
- Categories
- Category tree
- Disambiguation pages
- Entity usage
- External links search
- List of redirects
- Pages linking to disambiguation pages
- Pages on topics near you
- Pages with a page property
- Pages with badges
- Search
- Tracking categories

Login / create account

- Create account
- Global user account rename request
- Log in
- Login unification status

Users and rights

- Active users list
- Autoblocks
- Manage connected applications
- Membership in global groups



Merging Duplicate Data

Use the Fusion command in its special page to merge duplicate data.

<https://www.wikidata.org/wiki/Special:MergeItems>

Special page

Merge two Items

Please read [Help:Merge](#) before using. The gadget mentioned there may be the easier approach.

Merge two Items

If you merge two Items, all labels, descriptions, aliases, sitelinks and statements will be moved from one Item to the other.

The ID to merge from

The ID to merge to



End of block #3

Advanced editing concepts for items





Block 4

Learning Wikidata on your own



Discussion Pages

90% of Wikipedia content is in the discussion pages, and every property — has a discussion page.





Discussion Pages (cont.)

You can ask a question on a user page (here, to user [Antoine2711](#)).

- Just like in Wikipedia
- Pages are everywhere

https://www.wikidata.org/wiki/User_talk:Antoine2711

☰ Browse topics Recently active topics ▾

Indian cinema personalities ★
⋮

4 comments · 4 months ago

Murchana ⋮

You mentioned about a tool to push in a batch my spreadsheet. I would like your help. Template of such spreadsheet would be helpful.

Otherwise I was thinking to use VIAF identifiers for those who are available, and edit in Wikidata for those that are unavailable.

Thanks!

Reply · Thank 4 months ago

Antoine2711 ⋮

There are many ways to optimize your matching, or « reconciliation » process, for movies, databases like [Imdb.com](#) or indian equivalent would probably be a must.

I could help you. I guess the first step is to fill a Google Sheets with your data. The other would be to install and use OpenRefine.

How much persons do you have? Movies?

Regards, Antoine

Reply 4 months ago

Murchana ⋮

Around 500 and that will go increase.

I have to prepare a spreadsheet with defined variables like date of birth, date of death etc?

Regards,

Murchana

Reply · Thank 4 months ago

Murchana ⋮

Also, I have not worked with OpenRefine earlier. Let me explore it!

Thanks

Reply · Thank 4 months ago



Wikidata Projects

Wikidata projects are places that focus on one or several specific subjects. This is where you will find answers to questions on these subjects.

Four important Wikidata projects are related to this training initiative:

- [Wikidata:WikiProject Performings Arts](#)
- [Wikidata:WikiProject Cultural Venue](#)
- [Wikidata:WikiProject Cultural Events](#)
- [Wikidata:Theatre](#) (which is in the process of being merged with Wikidata Performing Arts)
- [Wikidata:WikiProject Music](#)



Wikidata Projects (cont.)

Project sections (header banner)

- Properties
- Discussions
- Participants

Participants [edit | edit source]

You can add yourself [here](#).

The participants listed below can be notified using the following template in discussions:

[\[+ Add yourself to the list\]](#)

```
{{Ping project|Performing arts}}
```

- [Beat Estermann](#) (talk) 17:11, 14 April 2017 (UTC)
- [Alfom](#) (talk) 10:48, 13 May 2017 (UTC)
- [Vladimir Alexiev](#) (talk) 07:38, 24 September 2017
- [Birk Weiberg](#) (talk) 11:39, 25 September 2017 (UTC)
- [Smallison](#) (talk) 15:52, 16 November 2017 (UTC)
- [Daniel Mitchen](#) (talk) 20:08, 11 April 2018 (UTC)
- [Buccalon](#) (talk) 21:01, 19 November 2018 (UTC)
- [Jneubert](#) (talk) 06:28, 22 February 2019 (UTC)
- [Klaus Illmayer](#) (talk) 12:29, 6 May 2019 (UTC)
- [KatiKei](#) (talk) 11:23, 17 January 2019 (UTC)
- [GiFontenelle](#) (talk) 01:16, 9 October 2019 (UTC)
- [Antoine2711](#) (talk) 00:27, 5 December 2019 (UTC)
- [Fijulien](#) (talk) 20:52, 13 February 2020 (UTC)
- [Youyouca](#) (talk) 15:11, 15 February 2020 (UTC)
- [Vero Marino](#) (talk) 23:28, 15 May 2020 (UTC)
- [Celloheidi](#) (talk) 22:19, 23 May 2020 (UTC)
- [Beireke1](#) (talk) 12:16, 5 June 2020 (UTC)
- [Anjuasingh](#) (talk) 19:16, 26 June 2020 (UTC)
- Denise Bolduc

Wikidata:WikiProject Performing arts





Wikidata Tutorials

Three tutorials are available at this URL:

<https://www.wikidata.org/wiki/Wikidata:Tours>

- Items
- Statements
- References

<h3>Items</h3> <p>This tour provides a beginner-friendly introduction to editing Wikidata. It covers "items", the basic units that represent knowledge in Wikidata, and will help you edit your first item.</p> <p>Start this tutorial <small>Edit or translate this tour</small></p>	<h3>Statements</h3> <p>This tour includes advanced editing on Wikidata and how to create statements for items. This tour is the second one in a series; please take the Items Tour first if you haven't already.</p> <p>Start this tutorial <small>Edit or translate this tour</small></p>
<h3>References</h3> <p>In this tour, you'll learn how to add references to help more high quality data be added to Wikidata. A reference (or source) describes the origin of a statement in Wikidata.</p> <p>Start this tutorial <small>Edit or translate this tour</small></p>	<h3>More tours coming soon</h3> <p>More tours are being added here on, please check back soon.</p>



Wikidata Tours

Welcome to Wikidata Tours. The tours will show you how Wikidata works and teach you how to add data. Wikidata works a bit differently from a typical article-centered wiki like Wikipedia, so even if you've used a wiki before or you're coming to us from another

Wikimedia project please take the tours. Each tour will take around 5 minutes to complete.

Please Note:

- By clicking on the "Start this tutorial" button, automatic edits will be performed by your user account. While the pages edited as part of the tours are not real item pages, your activity will still be recorded in the revision history of each page.
 - If you do not have a Wikidata user account, or if you have one but have not logged in, your computer's IP address will be recorded in the page history as having made the edit.
 - If you don't want your IP address logged so that everyone can see it, or if you would like to prevent seeing this IP warning pop-up for future edits, please [create an account](#) and/or log in before starting a tour.
 - When editing Wikidata for the first time (or if editing while not logged in), you will encounter the "Terms of use pop-up". To prevent seeing this pop-up for future edits, please select the "Do not show this message again" option. To read the terms of use now, before starting a tour, [click here](#).
- Thank you for your interest in Wikidata:Tours. All feedback can be left at [talk page](#).

By clicking "save", you agree to the terms of use, and you irrevocably agree to release your contribution under the Creative Commons CC0 License. I accept these terms for my future edits. Do not show this message again.

Terms of use pop-up

Warning: You are not logged in. Your IP address will be recorded in the edit history of this entity.

IP warning pop-up

Wikidata Tutorials (cont.)

This tutorial is recommended for SPARQL:

https://www.wikidata.org/wiki/Wikidata:SPARQL_tutorial

We'll talk about the
Wikidata Query Service
in the Workshop #3

Wikidata:SPARQL tutorial

Other languages: Bahasa Indonesia • Deutsch • English • Türkçe • català • dansk • eesti • español • français • italiano • japonês • português do Brasil • svenska • pyccckий • українська • العربية • עברית

WDQS, the Wikidata Query Service², is a powerful tool to provide insight into Wikidata's content. This guide will teach you how to use it.

Contents [hide]

- 1 Before we start
- 2 SPARQL basics
- 3 Our first query
- 3.1 Autocompletion
- 4 Advanced triple patterns
- 5 Instance and classes
- 5.1 Property paths
- 6 Quailers
- 7 CROSS and LIMIT
- 7.1 Exercise
- 7.1.1 Arthur Conan Doyle books
- 7.1.2 Chemical elements
- 7.1.3 Rivers that flow into the Mississippi
- 7.1.4 Rivers that flow into the Mississippi II
- 8 OPTIONAL
- 9 Expressions, FILTER and BIND
- 9.1 Data types
- 9.2 Operators
- 9.3 FILTER
- 9.4 BIND, BOUND, IF
- 9.5 COALESCE
- 10 Grouping
- 10.1 City populations
- 10.2 Funding materials
- 10.3 Guns by manufacturer
- 10.4 Publishers by number of pages
- 10.4.1 WIKING

Wikidata Query Service

```
1 #Plays
2 SELECT ?vPlay ?vPlayLabel
3 WHERE
4 {
5   ?vPlay wdt:P31 wd:Q25379 .
6
7   SERVICE wikibase:label { bd:serviceParam wikibase:language "(AUTO_LANGUAGE),fr,en" . }
8 }
```

11659 résultats en 699ms

vPlay	vPlayLabel
wd:Q15005	Le Malheur d'avoir trop d'esprit
wd:Q19871	En attendant Godot
wd:Q26833	Othello ou le Maure de Venise
wd:Q29478	Faust
wd:Q40716	The Eternal Jew
wd:Q41567	Hamlet
wd:Q50919	La Tragique Histoire du docteur Faust
wd:Q53590	Les Deux Nobles Cousins
wd:Q66407	Mon Cousin de nos parents



End of block #4

Learning Wikidata on your own



Workshop #2 Recap

What you need to know



Block 1 recap

- You can set the languages you are proficient in, the Wikidata interface language, as well as labels, aliases and descriptions.
- To make sure you don't create duplicate data, always do a search before creating a Wikidata item.
- A description is not a sentence, so no initial uppercase letter (except if required) or period.
- An alias is a secondary label.



Block 2 recap

- When a statement (a triple: object – property – value) is created, the object is the item of the page, the property is the first data that is input, and the value is the data that is entered on the right
- The first statement of an item is its “nature of (P31)”.
- When a statement property has several values, additional values are added to the right without having to repeat the property.
- References are used to identify sources (origin) of the data.
- Qualifiers serve to clarify a statement, chronologically or in some other way.



Block 3 recap

- A property is an editable object in Wikidata, but this rarely happens and you won't have to edit it.
- Constraints are an important part of statements. Constraints are values attached to the property being used.
- Special pages are advanced tools.
- The merge help tool Fusion is one of these tools.



Block 4 recap

- Most of the work in Wikimedia projects takes place in the discussion pages about the project and its data.
- All the pages of a Wikimedia project have discussion pages.
- Bistro is where you should ask general questions about Wikidata.
- Wikidata projects is where you ask precise questions on a specific subject.



Acknowledgments

Principal Project Partners



Financial Partners



Conseil des arts du Canada Canada Council for the Arts

Canada



WIKIMEDIA
FOUNDATION



End of Workshop #2

Keep on contributing!



Name of the slide